

CARBAHN.COM/INSTRUCTIONS

AUDI B9 RS5 PERFORMANCE CONTROLLER

CARBAHN PART #:

CBA11-PC-0011



US Based Support 866-558-4314 Sales@CarBahn.com CarBahn.com Follow Us: @CarBahnOfficial

These instructions assume that the person installing these parts is an AUDI CERTIFIED MECHANIC and are NOT step by step instructions on how to disassemble and reassemble the car.

- 1. Note down the 13-digit Serial number that is found on the neck of the controller.
- 2. First install the performance controller using supplied zip ties to the main harness located on the driver side of the engine compartment.




3. You can now rout the supplied harness under the charge pipe at the front driver side of the engine compartment and then under the harness just in front of the performance controller. Then connect the harness to the controller.





These instructions assume that the person installing these parts is an AUDI CERTIFIED MECHANIC and are NOT step by step instructions on how to disassemble and reassemble the car.

4. Locate the end of the harness that is labeled "A" and connect it to the MAP sensor located in the front of the engine compartment on the charge pipe post throttle body.



5. Locate the end of the harness that is labeled "B" and rout the harness to the MAP sensor that is on the charge pipe pre throttle body and repeat the previous steps for connecting harness to MAP sensor.





These instructions assume that the person installing these parts is an AUDI CERTIFIED MECHANIC and are NOT step by step instructions on how to disassemble and reassemble the car.

6. When the harness has been connected to MAP sensors and is plugged into the performance controller you can now use the supplied zip ties to secure the harness, making sure it is out of the way of any moving parts or anything that may cause chaffing.



